



Double Trouble
design by Antje Hornig

Supplies


-  11/0 Seed Bead 9 g
-  15/0 Seed Bead (A) 2,5 g
-  15/0 Seed Bead (B) 2,5 g
-  2 hole Cabochon 25 pcs

1 clasp


Fireline 0,12 mm 6lb smoke
Needles 10/0 und 12/0

The bracelet has two layers. Both are beaded with spiral rope.

Cut 2,5 m Fireline. Thread a needle on both sides. String seven 11° seed beads and push them to the middle of your thread. Pass through the first two beads again.



1




Sew through all the beads again, adding one 15° A after the first, second, third and fourth 11°.


2

3

Now you are working with both needles, one for each side. String one Cabochon (C) , one 15° A and one C. Sew with the second needle through the unused hole, string one 15° A and sew through the second C. The beading on both sides of the bracelet is identical.




4




String thirteen 11° and pass through the C - A -C group. Repeat on the other side.

5



Repeat this step until the desired length is reached. String one 15° A, one C and thirteen 11°. Pass through the last C and the new added A and C.





To finish the layer string seven 11°. Pass through the first two 11° again. Sew through the second hole of the cabochon. Then work the thread in.


Sew with the second thread through the first three 11°. Add one A in the next four gaps. Pass through the last two 11° and the second hole of the cabochon. Work the thread in.




Add a second thread (2m length) in the beginning of the bracelet. Both sides have equal length. Thread a needle on both sides.

9

String thirteen 15° on both sides. On the right side all 15° are in color A and on the left side in color B. Pass through the C - A - C - A - C group



10



Repeat this until the end. Work the threads in. Add the clasp with split rings.

11

Congratulations !

Your Double Trouble bracelet is finished.

Email:

info@beadadventure.com

Antje Hornig

As an alternative you can use RoundDuos instead of 2hole Cabochons.

